

Message

From: Price-Fay, Michelle [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=F95F7056EF7E4B13A646560112AA1C4D-MPRICE02]
Sent: 4/24/2020 1:09:24 PM
To: Ed Stone -MDE- [ed.stone@maryland.gov]
Subject: RE: follow-up

We will talk more today and while it is a hefty effort those questions weren't intended to make any point. Just serve as a guide for today.

Michelle Price-Fay, Chief
Clean Water Branch
Water Division (3WD40)
U.S. EPA Region III
1650 Arch Street
Philadelphia, Pa 19103
215-814-3397

From: Ed Stone -MDE- <ed.stone@maryland.gov>
Sent: Friday, April 24, 2020 8:59 AM
To: Price-Fay, Michelle <Price-Fay.Michelle@epa.gov>
Subject: Re: follow-up

Michelle,
I think I see your point and its well taken. The timeframes Ive proposed are essentially unprecedented in terms of the amount of work and effort that will be required to achieve them. But we are committed to doing our best even though it means some sacrifice on the part of our committed staff and other pending work needs, especially in this environment. I look forward to discussing this on our call at 10 today.

Thanks,
Ed



Ed Stone
Wastewater Discharge Permits Program Manager
Water and Science Administration
Maryland Department of the Environment
1800 Washington Boulevard
Baltimore, Maryland 21230
Ed.Stone@maryland.gov
410-537-3661 (O)
[Website](#) | [Facebook](#) | [Twitter](#)

On Fri, Apr 24, 2020 at 6:55 AM Price-Fay, Michelle <Price-Fay.Michelle@epa.gov> wrote:

Good Morning Ed,

Lets shoot for 10:00 am. We can use my call in number 215-814-2541 access code 433971.

Couple of questions I have:

What factors influence the schedule you proposed?

What are the procedures/process to get this to final?

Talk to you soon.

Michelle

Michelle Price-Fay, Chief

Clean Water Branch

Water Division (3WD40)

U.S. EPA Region III

1650 Arch Street

Philadelphia, Pa 19103

215-814-3397

From: Ed Stone -MDE- <ed.stone@maryland.gov>

Sent: Thursday, April 23, 2020 4:33 PM

To: Price-Fay, Michelle <Price-Fay.Michelle@epa.gov>

Subject: Re: follow-up

Hi Michelle,

I will make myself available at your convenience for tomorrow.

Approximately 1200 industrial registrations. Approximately 5,600 construction permits issued.

Finally, below is my proposed accelerated drafting schedule:

1. Monday, May 4: Submit to EPA an updated and revised draft tentative construction general permit for EPA review. This will include fully revised language for permit continuation and for duty to apply.
2. June 4: Submit draft roll-over industrial stormwater GP permit to EPA for review. There will be some work complex work for us required to deal with restoration and other terms of the existing permit and terminology but we will do it. This permit will be proposed to have a 1.5 year maximum term with revised permit continuation and duty to apply language.
3. A complete and fully updated draft industrial stormwater permit for a five year term will be provided as a draft to the EPA 30 days after the EPA multi sector permit is effective.

Let me know if you need any additional information for tomorrow and feel free to suggest a time.

Cheers,

Ed



Ed Stone

Wastewater Discharge Permits Program Manager
Water and Science Administration
Maryland Department of the Environment
1800 Washington Boulevard
Baltimore, Maryland 21230
Ed.Stone@maryland.gov
cell: 410-529-7404
[Website](#) | [Facebook](#) | [Twitter](#)

On Thu, Apr 23, 2020 at 2:24 PM Price-Fay, Michelle <Price-Fay.Michelle@epa.gov> wrote:

Ed,

I understand that we have some catching up following the call yesterday afternoon. What is your status tomorrow?

I also wanted to ask you if you could share with me the total number of permittees covered by the CGP and MSGP.

Michelle Price-Fay, Chief

Clean Water Branch

Water Division (3WD40)

U.S. EPA Region III

1650 Arch Street

Philadelphia, Pa 19103

215-814-3397

[Click here](#) to complete a three question customer experience survey.

[Click here](#) to complete a three question customer experience survey.